



LAKE SIDE FLOOD SOLUTIONS

LAKE SIDE WATER-FILLED DAM



PRODUCT DATA SHEET



LAKESIDE
FLOOD SOLUTIONS

LFS Water-filled Dam

Temporary flood barrier.
Re-usable, quick & easy to deploy.

Specification:

- Material: Tarpaulin
- Heights available: 40cm, 60cm, 80cm H.
Heights up to 150cm available upon request
- Widths available: 10.2m as standard.
6m or 15m also available
- Tested at official wave test facility (7 days of testing)
- Product Versions:
 - Stable – designed for still water and waves 10-15cm
 - Premium - designed for still water and waves 10-15cm, with extra-large floats along top edge
 - Extreme Weather – designed for waves up to 35cm

PRODUCT DATA SHEET

Key features:

- Designed for extreme weather and stability
- Withstands dynamic and static environments i.e. withstands waves as well as static water
- Extremely stable – unlike other systems, no sandbags and sealant under front end to withstand waves required
- High-specification materials - high-tech, rot-proof sowing tread
- Rapid deployment speed – just roll out
- No pumps required to fill system, relies solely on rising water
- 2 Year Manufacturer's Warranty



01792 561117

sales@lakesidefloodsolutions.co.uk

Bruce Road, Fforestfach Industrial Estate, Swansea SA5 4HS




www.lakesidefloodsolutions.co.uk



LAKESIDE
FLOOD SOLUTIONS

PRODUCT DATA SHEET

Images:



01792 561117
sales@lakesidefloodsolutions.co.uk
Bruce Road, Fforestfach Industrial Estate, Swansea SA5 4HS



www.lakesidefloodsolutions.co.uk